


QUILT SIZE 76½" X 91½"



Designed by: QT Fabrics



Finished Quilt Size: 76½" x 91½"

FABRIC REQUIREMENTS

	Fabric A 30183 L 2⅓ YARDS		Fabric B 30183 E 1⅜ YARDS		*Fabric C 30186 V 1½ YARDS		Fabric D 30185 X ½ YARD
	Fabric E 30184 Q 1 YARD		Fabric F 29008 EZ ⅜ YARD		Fabric G 30187 V 1¾ YARDS		Fabric H 30186 Q ½ YARD
	**Fabric I 30186 E 5½ YARDS	* includes binding ** includes backing					

We recommend that you carefully read through all instructions before getting started on your project.

CUTTING DIRECTIONS

Note: All strips are cut across the width of the fabric (perpendicular to the selvages) unless noted otherwise. All seams are ¼".

Fabric A

- Cut (4) 7½" by Length of Fabric strips.

Fabric B

- Cut (4) 11" x WOF strips.
- Subcut (10) 11" squares.

Fabric C

- Cut (12) 2" x WOF strips.
- Subcut (20) 2" x 7½" rectangles and (20) 2" x 10½" rectangles.
- Cut (9) 2½" strips, piece end to end for binding.

Fabric D

- Cut (2) 7½" x WOF strips.
- Subcut (10) 7½" squares.

Fabric E

- Cut (9) 3½" x WOF strips.
- Subcut (10) 3½" x 12½" rectangles and (10) 3½" x 15½" rectangles.

Fabric F

- Cut (7) 1½" x WOF strips. Sew strips end to end with diagonal seams; press.
- Cut (2) 1½" x 62½" strips and (2) 1½" x 75½" strips.

Fabric G

- Cut (18) 3" x WOF strips.
- Subcut (20) 3" x 10½" rectangles and (20) 3" x 15½" rectangles.

Fabric H


- Cut (8) 2" x WOF strips.
- Subcut (10) 2" x 11" rectangles and (10) 2" x 12½" rectangles.

CONSTRUCTION

Use a ¼" seam allowance throughout.


Block A (10-15" finished block)

1. Sew one (H) 2" x 11" rectangle to the bottom of one (B) 11" square. Press seam toward the rectangle. Sew one (H) 2" x 12½" rectangle to the left side of the unit as shown. Press seam toward the rectangle.



Make 10


2. Sew one (E) 3½" x 12½" strip to the bottom followed by one 3½" x 15½" rectangle to the left of Step 1 block. Press seams toward the rectangles. Repeat Steps 1 and 2 to make (10) 15½" x 15½" A Blocks unfinished.



Make 10


Block B (10-15" finished block)

1. Sew one (C) 2" x 7½" rectangle to opposite sides of one (D) 7½" square. Press seams toward the rectangles. Sew one (C) 2" x 10½" rectangle to the top and bottom of unit. Press seams toward the rectangles.



Make 10

2. Sew one (G) 3" x 10½" rectangle to opposite sides of the Step 1 block. Press seams toward the rectangles. Sew one (G) 3" x 15½" rectangle to the top and bottom of the unit. Press seams toward the rectangles. Repeat Steps 1 and 2 to make (10) 15½ x 15½" B Blocks unfinished.



Make 10

ASSEMBLY

1. Refer to quilt image to lay blocks into rows paying attention to the orientation of each block. Sew blocks into rows and press seams toward the "B" blocks. Sew rows together and press seams open.

2. Sew one (F) 1½" x 75½" strip to opposite sides of the quilt. Press seams toward the strips. Sew one (F) 1½" x 62½" strip to the top and bottom of the quilt. Press seams toward the strips.

3. Sew one (A) 7½" x 77½" strip to opposite sides of the quilt. Press seams toward the strips. Sew one (A) 7½" x 76½" strip to the top and bottom of the quilt. Press seams toward the strips.

FINISHING

1. Prepare backing using widths of fabric and a vertical seam/s. Press seams open.

2. Layer backing, batting and quilt top. Baste and quilt as desired.

3. Trim layers even with quilt top.

4. Prepare binding using (C) 2½" strips. Sew binding to quilt using your preferred method.