




Designed by: QT Fabrics

QUILT SIZE 48" x 54"

GINA JANE LEE



Finished Size: 48" x 54"

FABRIC REQUIREMENTS

	Fabric A 29665 X 1 YARD		Fabric B 29668 O 2/3 YARD*		Fabric C 29667 W 1/4 YARD		Fabric D 29669 Q 1/4 YARD
	Fabric E 29669 J 1/3 YARD		Fabric F 29666 J 3/4 YARDS		Fabric G 29666 J 3 YARDS**	* includes binding ** backing	

Designed by: QT Fabrics

We recommend that you carefully read through all instructions before getting started on your project.

CUTTING DIRECTIONS

WOF = Width of fabric from selvage to selvage

Fabric A

- Trim panel to 30½" x 36½".

Fabric B

- Cut (4) 1¾" x WOF strips. Subcut into (2) 1¾" x 36½" strips and (2) 1¾" x 33" strips.
- Cut (6) 2¼" x WOF strips for binding.

Fabric C

- Cut (4) 1¾" x WOF strips. Subcut into (2) 1¾" x 39" strips and (2) 1¾" x 35½" strips.

Fabric D

- Cut (4) 1¾" x WOF strips. Subcut into (2) 1¾" x 40½" strips, (2) 1¾" x 35½" strips, and (2) 1¾" x 4" rectangles.

Fabric E

- Cut (5) 1¾" x WOF strips. Subcut into (2) 1¾" x 40½" strips, (2) 1¾" x 38" strips, and (2) 1¾" x 6½" rectangles.

Fabric F

- Cut (5) 4¼" x WOF strips. Subcut into (4) 4¼" x 40½" strips and (2) 4¼" x 14" rectangles.

Fabric G

- Cut (2) 54" x WOF pieces for backing.


INSTRUCTIONS

Use a ¼" seam allowance throughout.

1. Sew (1) 1¾" x 40½" **Fabric D** strip to (1) 1¾" x 4" **Fabric D** rectangle to make (1) 1¾" x 44" **Fabric D** strip. Make 2 units.
2. Sew (1) 1¾" x 40½" **Fabric E** strip to (1) 1¾" x 6½" **Fabric E** rectangle to make (1) 1¾" x 46½" **Fabric E** strip. Make 2 units.
3. Sew (1) 4¼" x 40½" **Fabric F** strip to (1) 4¼" x 14" **Fabric F** rectangle to make (1) 4¼" x 54" **Fabric F** strip. Make 2 units.


QUILT ASSEMBLY

1. Sew (2) 1¾" x 36½" **Fabric B** strips to the sides of the 30½" x 36½" **Fabric A** Panel, followed by (2) 1¾" x 33" **Fabric B** strips to the top and bottom.




2. Sew (2) 1¾" x 39" **Fabric C** strips to the sides of the quilt center, followed by (2) 1¾" x 35½" **Fabric C** strips to the top and bottom.

3. Sew (2) 1¾" x 35½" **Fabric D** strips to the top and bottom of the quilt center, followed by (2) 4¼" x 44" **Fabric D** strips to the sides of the quilt center.



4. Sew (2) $1\frac{3}{4}$ " x 38" **Fabric E** strips to the top and bottom of the quilt center, followed by (2) $4\frac{1}{4}$ " x $46\frac{1}{2}$ " **Fabric E** strips to the sides of the quilt center.
5. Sew (2) $4\frac{1}{4}$ " x $40\frac{1}{2}$ " **Fabric F** strips to the top and bottom of the quilt center, followed by (2) $4\frac{1}{4}$ " x 54" **Fabric F** strips to the sides of the quilt center.



FINISHING

1. Sew (2) 54" x WOF **Fabric G** pieces together along their 54" length to make backing.
2. Layer backing, batting, and quilt top; baste.
3. Quilt as desired.
4. Make double-fold binding using the $2\frac{1}{4}$ " wide **Fabric B** strips, and sew the binding to the quilt using your preferred method.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.