




Quilt Size: 64" x 741/2"





Designed by: Cyndi Hershey

QTfabrics.com | ©QT Fabrics | All rights reserved





We recommend that you carefully read through all **CONSTRUCTION** instructions before getting started on your project.

CUTTING DIRECTIONS

Note: All strips are cut across the width of the fabric (perpendicular to the selvages) unless noted otherwise. All seams are 1/4".

Fabric A - Green Damask

• Cut twelve 21/2" strips. Sew seven strips together end to end with diagonal seams; press. From this pieced strip, cut two 21/2" x 67" strips and two 21/2" x 72" strips. Remaining strips are used to create strip sets.

Fabric B - Aqua Dotted Circles

- Cut five $2\frac{1}{2}$ strips.
- Cut five 31/2" strips. Sew strips together end to end with diagonal seams; press. From this pieced strip, cut three $3\frac{1}{2}$ " x $60\frac{1}{2}$ " strips.

Fabric C - Aqua Floral Paisley

• Cut eight 41/2" strips. Sew strips together end to end with diagonal seams; press. From this pieced strip, cut two $4\frac{1}{2}$ " x 74" strips and two $4\frac{1}{2}$ " x 80" strips.

Fabric D - Cream Dragonflies

• Cut two 61/2" strips; subcut eight 61/2" x 91/2" rectangles.

Fabric E - Blue Dragonflies

• Cut three 61/2" strips; subcut twelve 61/2" x 91/2" rectangles.

Fabric F - Purple Chevron

• Cut eight 2¹/₂" strips for binding.

Fabric G - Green Scroll

• Cut five 21/2" strips.


Fabric H - Purple Chevron

- Cut ten 1¹/₄" strips. Sew strips together end to end with diagonal seams; press. From this pieced strip, cut six 11/4" x 601/2" strips.
- Cut seven 1¹/₂" strips. Sew strips together end to end with diagonal seams; press. From this pieced strip, cut two 11/2" x 60" strips and two 1½" x 68" strips.

Strip Blocks:

1. In order, sew one 2¹/₂" strip each of *Fabric A, G* and B. Press seams toward Fabric B. Repeat to make five strip sets.

2. Cut strip sets crosswise into twenty 9¹/₂" strip blocks. Unfinished blocks measure $6\frac{1}{2}$ " x $9\frac{1}{2}$ ".



Vertical Sashing:

Sew one 1¹/₄" x 60¹/₂" strip of **Fabric H** to each side of one 31/2" x 601/2" strip of Fabric B. Press toward the B strip. Repeat to make three sashing rows.

QUILT ASSEMBLY


1. Refer to quilt image to lay strip set blocks with 61/2" x 91/2" blocks of **Fabrics D** and **E**. Note that orientation of some strip set blocks reverses. Create four vertical rows.

2. Sew blocks into rows and press seams toward Fabric D and E blocks.





3. Sew block rows alternately with sashing rows. Press toward the sashing rows.



4. Matching centers of strips, sew together one **Fabric H** $1\frac{1}{2}$ " x 60" strip, one **Fabric A** $2\frac{1}{2}$ " x 67" strip and one **Fabric C** $4\frac{1}{2}$ " x 74" strip. Press toward the **H** strip. Repeat to make second border.

5. With *Fabric H* strip facing quilt, match middle of border set to middle of quilt top. Beginning and ending a generous ¼" from edge of quilt, sew borders to quilt. Repeat for bottom of quilt.

6. Using your preferred method of mitering borders, miter each border corner. NOTE: Seams of top/bottom and side borders were pressed in opposite directions to make matching easier when sewing the mitered border seams.

FINISHING THE QUILT

1. Prepare backing and press seams open.

2. Layer backing, batting and quilt top. Baste and quilt as desired.

3. Trim layers even with quilt top.

4. Prepare binding using *Fabric F* 2½" strips. Sew binding to quilt using your preferred method.

Borders:

1. Borders are cut with extra length to accommodate mitered borders.

2. Matching centers of strips, sew together one **Fabric H** $1\frac{1}{2}$ " x 68" strip, one **Fabric A** $2\frac{1}{2}$ " x 72" strip and one **Fabric C** $4\frac{1}{2}$ " x 80" strip. Press toward the **C** strip. Repeat to make second side border.

3. With *Fabric H* strip facing quilt, match middle of border set to middle of one side of quilt. Beginning and ending a generous 1/4" from edge of quilt, sew borders to quilt. Repeat for other side of quilt.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.