


Finished Pillow Size: 23" x 23"

Finished Block Size: 17" x 17"





Finished Pillow Size: 23" x 23"

FABRIC REQUIREMENTS

	<p>Fabric A ** 30777 B 1 1/8 YARDS</p>		<p>Fabric B 29912 BQ 1 FAT QUARTER</p>		<p>Fabric C 30778 Z 1 FAT QUARTER</p>		<p>Fabric D 29912 PX 1 FAT QUARTER</p>
	<p>Fabric E 30780R 5/8 YARD</p>	<p>** includes pillow backings</p>		<p>Other Materials and Tools (2) 22" x 22" pillow forms (2) 28" x 28" squares of batting (2) 28" x 28" squares pillow top backing fabric</p>			

Fabric Requirements for 2 Pillows

We recommend that you carefully read through all instructions before starting your project.

CUTTING DIRECTIONS

WOF = width of fabric from selvage to selvage for 42" fabric.

Fabric A (Includes Backing)

- Cut (1) 12 ½" x WOF strip. Recut strip into (2) 12 ½" squares.
- Cut (2) 23 ½" x WOF strips. Recut strips into (4) 14" x 23 ½" backing rectangles.

Fabric B

- Cut (1) 9 ⅜" x 21" strip. Recut strip into (2) 9 ⅜" squares.

Fabric C

- Cut (1) 9 ⅜" x 21" strip. Recut strip into (2) 9 ⅜" squares.

Fabric D


- Cut (8) 1 ½" x 21" strips. Trim strips to make (4) 1 ½" x 17 ½" side strips and (4) 1 ½" x 19 ½" top/bottom strips.

Fabric E


- Cut (6) 2 ½" x WOF strips. Recut strips into (4) 2 ½" x 19 ½" side strips and (4) 2 ½" x 23 ½" top/bottom strips.

COMPLETING THE BLOCK

1. Cut each 9 ⅜" square in half on 1 diagonal to make 4 triangles each Fabrics B and C. Sort to make 2 sets of 4 triangles, 2 of each color. Set aside 1 set for a second block.
2. Select 2 matching triangles from 1 set and (1) 12 ½" Fabric A square. Center and sew a triangle to 2 opposite sides of the square. Press seams toward the triangles. Trim dog ears off ends.



3. Sew the remaining 2 triangles to the 2 remaining sides of the square to complete 1 Square Tilt block. Press seams toward the triangles. Trim block to 17 ½" x 17 ½", if necessary.



4. Repeat steps 1–3 with the second set of triangles and remaining Fabric A square set aside in step 1 to complete a second Square Tilt block.


COMPLETING THE PILLOW

1. Select 1 Square Tilt block and 2 strips each 1 ½" x 17 ½" and 1 ½" x 19 ½" Fabric D. Sew a 1 ½" x 17 ½" strip to opposite sides and a 1 ½" x 19 ½" strip to the top/bottom of the completed block. Press seams toward the strips.

2. Repeat step 1 with the 2 ½" x 19 ½" and 2 ½" x 23 ½" Fabric E strips.

3. Sandwich a 28" batting square between 1 finished block and a 28" pillow top backing square. Quilt as desired. Trim excess batting and backing edges even with the pillow top when quilting is complete.

4. Press under (1) 23 ½" edge of each 14" x 23 ½" Fabric A backing rectangle ¼". Press under the same edge again ½" and stitch to hem.



5. Place the hemmed backing rectangles right sides together with the quilted pillow top, matching outer edges and overlapping hemmed edges. Pin all around to hold. Machine-baste overlapped edges. Stitch all around outer edges.



6. Turn right side out through the back opening. Press edges flat. Insert a pillow form to finish.

7. Repeat strips 1–6 to complete a second pillow with the remaining quilted Square Tilt block, backing rectangles and pillow form.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.