

Pop Up Party Bunting

FEATURING PATRIOT

Bunting Size: 9" x 96"

Flag Size: 8" x 9"



Designed by: QT Fabrics

Designed By: QT Fabrics





Finished Size: 9" x 96"
Flag Size" 8" x 9"



FABRIC REQUIREMENTS

	<p>Fabric A 30932 E 2/3 YARD</p> <p>1 BOLT</p>		<p>Fabric B 30934 B 2/3 YARD</p> <p>1 BOLT</p>		<p>Fabric C 30940 R 2/3 YARD</p> <p>1 BOLT</p>		<p>Fabric D 30939 N 2/3 YARD</p> <p>1 BOLT</p>
	<p>Fabric E* 30940 N 1/3 YARD</p> <p>1 BOLT</p>	<p>ADDITIONAL SUPPLIES Lightweight fusible interfacing</p> <p>* binding only</p>					

* Numbers within gray box = Number of Bolts needed to make 12 Kits



We recommend that you carefully read through all instructions before starting your project.

CUTTING DIRECTIONS

All measurements include $\frac{1}{4}$ " seam allowance.
Follow manufacturer's instructions for fusible web.
Make a template from the patterns on pages 4 and 5.

Note:

WOF= Width of Fabric (perpendicular to the selvages).

Fabrics A, B, C, and D, cut from each:

- 6 flags.

Fabric E, cut:

- (4) 2" x WOF strips.

Interfacing, cut:


- 12 flags.

ASSEMBLY

1. Fuse interfacing to the wrong side of 3 flags each Fabric A, B, C, and D.

2. Place an interfaced flag on a matching flag without interfacing, right sides together. Stitch both long sides, pivoting at bottom point. Trim seam allowance in point of flag to reduce bulk. Turn right side out; press. Repeat to make 12 flags.


3. Join the Fabric E strips, end to end, with diagonal seams. Trim seam allowances to $\frac{1}{4}$ " and press open.



4. Press the strip in half lengthwise. Open strip and press each long edge to the center crease.

5. Open strip. Place a pin or make a mark on one edge to mark the center.

6. Lay the strip right side up. Place one flag on strip, interfaced side down, on one side of center mark. Pin in place, aligning raw edges. Pin another flag to the other side of the mark, interfaced side down. Overlap the points so that the flags meet $\frac{1}{2}$ " from edge of strip.



7. Continue to arrange and pin remaining flags on strip in the same manner.

8. Baste flags to strip, $\frac{1}{2}$ " from edges.



9. Turn edges of strip to inside, fold strip in half enclosing flags, and pin. Topstitch close to both edges along entire length of strip.

10. Tie ends of strip in a bow or trim to desired length. Make a slip knot close to each end of strip.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.




Print Scale = 1"



FLAG
(top half)



Print Scale = 1"



FLAG
(bottom half)