




27" x 59"





27" x 59"



FABRIC REQUIREMENTS

	Fabric A 30118 W 7/8 YARD		Fabric B 30119 Q 3/4 YARD*		Fabric C 30120 Q 1/2 YARD		Fabric D 30123 W 5/8 YARD
	Fabric E 27935 N 3/4 YARD		Suggested Backing 30119 W 2 YARDS**	* includes Binding **suggested backing fabric			

We recommend that you carefully read through all instructions before getting started on your project.

CUTTING DIRECTIONS

WOF = width of fabric from selvage to selvage for yardage or selvage to cut edge for fat quarters. Label pieces with the fabric letter or letter/number combo given in the cutting step. Remove as little fabric as possible when trimming selvages from WOF strips.

Fabric A, cut:

- (1) 25½" x WOF strip.
Remove the plain edge and subcut (1) 20½" x 25½" rectangle from each end.

Fabric B, cut:

- (1) 6" x WOF strip.
Subcut into (1) 6" x 17½" B1 rectangle.
Cut remainder into 1 each 2" x 24" strip and (1) 2¾" x 24" strip.
Subcut the 2" strip into (2) 2" x 10" B2 rectangles.
Subcut the 2¾" strip into (2) 2¾" x 5" B3 rectangles.
- (5) 2¼" x WOF strips for binding.

Fabric C, cut:

- (2) 6¼" x WOF strips.
Subcut into (8) 6¼" squares.

Fabric D, cut:

- (2) 9" x WOF strips.
Subcut into (8) 9" squares.

Fabric E, cut:

- (1) 4½" x WOF strip.
Subcut into (2) 4½" x 17½" E4 rectangles and (4) 2" E2 squares.
- (1) 3¼" x WOF strip.
Subcut into (4) 3¼" E1 squares, (4) 2" x 4¼" E5 rectangles and (1) 1½" x 12" border strip.
- (1) 2¾" x WOF strip.
Subcut into (4) 2¾" x 6¾" E6 rectangles and (4) 2¾" E3 squares.
- (2) 1½" x WOF strips.
Subcut into (4) 1½" x 17½" E7 strips.
- (4) 1½" x WOF strips for border.

Backing fabric: Trim to 35" x 67".

RUNNER ASSEMBLY

Use a ¼" seam allowance for all stitching.

1. Draw a diagonal line from corner to corner on the wrong side of the E1, E2, E3, C and D squares.

2. Place marked E1 squares right sides together on opposite corners of the B1 rectangle. Sew on the lines. Trim seam allowance ¼" out from the stitching. Press the triangles open. Repeat on the remaining corners of the rectangle to complete the 6" x 17½" B1 strip.



B1 Strip — Make 1

3. Repeat step 2 with B2 rectangles and marked E2 squares to make (2) 2" x 10" B2 units and with B3 rectangles and marked E3 squares to make (2) 2¾" x 5" B3 units.



B2 Unit — Make 2



B3 Unit — Make 2

4. Sew E5 rectangles to the ends of the B2 units to make (2) 2" x 17½" B2 strips. Press seams toward the rectangles. Stitch E6 rectangles to the ends of the B3 units to make (2) 2¾" x 17½" B3 strips. Press seams toward the rectangles.




B2 Strip — Make 2




B3 Strip — Make 2

5. Stitch E7 strips to the long sides of the B1 strip. Press seams toward E7. Add B2 strips and then E7 strips to the long sides. Press seams away from B2. Add B3 strips and then E4 rectangles to the long sides to complete the 17½" x 25½" B unit. Press seams away from B3.




B Unit

6. Repeat step 2 with marked D squares on each corner of the B unit. Repeat with marked C squares on the D corners to complete the center unit.




Center Unit

7. Repeat step 6 with marked D squares and then marked C squares on the 2 top corners of each A rectangle to complete (2) 20½" x 25½" end units.



End Unit — Make 2

8. Sew the end units to the long sides of the center unit to complete the 25½" x 57½" runner center referring to the exploded runner diagram. Press seams open.



Exploded Runner Diagram

9. Stitch the 1½" x WOF and 1½" x 12" E border strips short ends together to make a long strip. Press seams to 1 side. Cut into 2 each 57½" and 27½" strips. Sew the longer strips to the long sides of the runner center. Press seams toward the strips. Stitch the shorter strips to the ends to complete the runner top. Press seams toward the strips.

FINISHING

1. Layer the backing, a 35" x 67" batting piece and the top. Pin or baste to hold.
2. Quilt as desired. Trim batting and backing even with the top.
3. Make double-fold binding using the **Fabric B** binding strips. Bind the edges using your preferred method to complete the runner.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for errors or the way in which individual work varies.