

# Rick Rack Quilt

Quilt Size: 461/2" x 55"








# RickRackQuiltFEATURINGTREASURED





Finished Size: 46½" x 55"





# RickRackQuiltFEATUREDTREASURED



# **CUTTING DIRECTIONS:**

**WOF** = Width Of Fabric

# Fabric A:

- Cut (6) 5 ½" x **WOF** strips (Outer Border)
- Cut (2) 3½" x **WOF** strips. Subcut (20) 3½" x 3½" squares (Block B)

#### Fabric B:

Cut (6) 2" x *WOF* strips. Subcut (20) 2" x 6 ½" rectangle and (20) 2" x 5" rectangles (Block B)

#### Fabric C:

Cut (2) 3 ½" x **WOF** strips. Subcut (12) 3 ½" x 3 ½" squares (Block A)

#### Fabric D:

• Cut (4) 2" x **WOF** strips. Subcut (12) 2" x 6½" rectangles and (12) 2" x 5" rectangles (Block A)

#### Fabric E:

• Cut (5) 2" x **WOF** strips. Subcut (20) 2" x 3 ½" rectangles and (20) 2" x 5" rectangles (Block B)

# Fabric F:

- Cut (1) 9¾" x **WOF** strip. Subcut (4) 9¾" x 9¾" squares.
- Cut each twice diagonally (only 14 triangles will be used for Side, Top & Bottom Setting Triangles)
- Cut (1) 51/8" x **WOF** strip. Subcut (2) 51/8" x 51/8" squares.
- Cut each once diagonally (Corner Setting Triangles).

## Fabric G:

Cut (3) 2" x **WOF** strips. Subcut (12) 2" x 3 ½" rectangles and (12) 2" x 5" rectangles (Block A)

# Fabric I:

• Cut (6) 21/2" x **WOF** strips. (Binding)

#### Fabric J:

• Cut (2) 1½ yard lengths. Sew the two lengths along the selvedge edge, using a 1" seam. Trim and press to one side. (Backing)


#### Note:

Sew with right sides together and use a ¼" seam allowance unless stated otherwise


#### SEWING THE BLOCKS TOGETHER:

#### 1. Block A - 12 Blocks:

Referring to illustration, sew a 2" x 3 ½" Fabric G rectangle to the top of a 3½" Fabric C square. Sew a 2"x 5" Fabric G rectangle to the left side of unit. Press the seam open. Repeat for all 12 Fabric C Squares.



2. Referring to illustration, sew a Fabric D 2" x 5" rectangle to the top of the unit from Step 1. Sew a Fabric D 2" x 6½" rectangle to the left side of the unit. Repeat Steps 1-2 to make (12) A blocks.



#### Fabric H:

• Cut (5) 11/2" x WOF strips. (Inner Border)




# Rick Rack Ouilt




## 3. Block B - 20 Blocks:

Referring to illustration sew a 2" x 3 ½" Fabric E rectangle to the top of Step 2 unit, followed by a 2" x 5" Fabric E rectangle to the left side of unit. Press the seam open. Repeat for all 20 Fabric A Squares.



**4.** Sew a Fabric B 2"  $\times$  5" rectangle to the top of the unit from Step 3, followed by a Fabric B 2"  $\times$  6½" rectangle to the left side of the unit. Repeat Steps 3-4 to make (20) B blocks.




**3.** Sew together (3) Block B units and (2) Block A units. Sew two large Fabric F triangles to opposite ends of the row to complete Row 3. Make (2).



**4.** Sew together (4) Block B units and (3) Block A units. Sew a large Fabric F triangle on the right end and a small Fabric F triangle on the left end of the row to complete Row 4. Make (2).



**5.** Sew the rows together and press the seams open. Repeat to make (2) halves of the quilt top. Sew a small Fabric F triangle to the top of row 1 on each half of the quilt top.



# **COMPLETING THE QUILT TOP:**

#### Note:

For Steps 1 through 4 make two of each row. Noting orientation in illustration, make sure that all units are rotated correctly before sewing.


**1.** Sew (2) large Fabric F triangles to opposite sides of a Block B unit.




2. Referring to illustration, sew together (2) Block B units and (1) Block A unit. Sew (2) large Fabric F triangles to opposite ends of unit to complete Row 2. Make (2).



**6.** Sew the two halves of the quilt top together Sew the two halves of the quilt top together and press seams open.





# **ADDING THE BORDERS:**

#### Note:

Press all the seams away from the center of the quilt.

- **1.** Join the Fabric H Stripe 1½" x **WOF** strips together using diagonal seams. Measure the quilt top through the center from side to side. Cut 2 strips from the 1½" wide Fabric H Stripe strip at this length. Sew these to the sides of the quilt top.
- 2. Measure the quilt top through the center from top to bottom. Cut (2) strips from the remaining 1½" wide Fabric H strip at this length and sew to the top and bottom of the quilt top.
- **3.** Join (6) Fabric A  $5 \frac{1}{2}$ " x **WOF** strips together in sets of three strips using diagonal seams. Measure the quilt top through the center from side to side. Cut (2) strips from one  $5 \frac{1}{2}$ " wide Fabric A strip at this length. Sew these to the sides of the quilt top.
- 4. Measure the quilt top through the center from top to bottom. Cut (2) strips from the remaining 5 ½" wide Fabric A strip at this length and sew to the top and bottom of the quilt top. Layer the quilt top, batting and backing, quilt as desired. Finish with the 2 ½" wide Fabric J binding strip.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.