



18" x 58"



Designed by: Theresa Romeo



Finished Size: 18" x 58"

FABRIC REQUIREMENTS

	<p>Fabric A** 29406 J</p> <p>2 YARDS 2 BOLTS</p>		<p>Fabric B 29405 X</p> <p>½ YARD 1 BOLT</p>		<p>Fabric C* 29409 J Color Blends</p> <p>5/8 YARD 1 BOLT</p>		<p>Fabric D 29408 Q Rapture</p> <p>1/3 YARD 1 BOLT</p>
<p>* includes Binding ** includes Backing</p>							

Information within gray box = Number of Bolts needed to make 12 Kits

We recommend that you carefully read through all instructions before starting your project.

CUTTING DIRECTIONS

Note:

All seams are $\frac{1}{4}$ " throughout.

WOF: Width of Fabric (perpendicular to the selvages)

LOF: length of fabric (parallel to selvages)

Fabric A, cut:

- (1) $8\frac{1}{2}$ " x LOF strip. Trim strip to measure $8\frac{1}{2}$ " x $48\frac{1}{2}$ ".
- (1) 24" x LOF strip. Trim strip to measure 24" x 64" for backing.

Fabric B, cut:

- (4) 3" x WOF strips. Sew strips together, end to end, with 45° seams. Press seams open. Subcut (2) 3" x 53" strips and (2) 3" x 18" strips for outer border.

Fabric C, cut:

- (3) $1\frac{1}{2}$ " x WOF strips. Sew strips together, end to end, with 45° seams. Press seams open. Subcut (2) $1\frac{1}{2}$ " x $48\frac{1}{2}$ " strips and (2) $1\frac{1}{2}$ " x $10\frac{1}{2}$ " strips for inner border #1.
- (5) $2\frac{1}{4}$ " x WOF strips for binding.

Fabric D, cut:

- (4) $1\frac{3}{4}$ " x WOF strips. Sew strips together, end to end, with 45° seams. Press seams open. Subcut (2) $1\frac{3}{4}$ " x $50\frac{1}{2}$ " strips and (2) $1\frac{3}{4}$ " x 13" strips for inner border #2.

CONSTRUCTION

All measurements include $\frac{1}{4}$ " seam allowances.

Note: Refer to the Table Runner Layout Diagram on page 4 for the following steps.

1. Sew (1) $1\frac{1}{2}$ " x $48\frac{1}{2}$ " **Fabric C** strip to each long side of the $8\frac{1}{2}$ " x $48\frac{1}{2}$ " **Fabric A** rectangle. Sew (1) $1\frac{1}{2}$ " x $10\frac{1}{2}$ " **Fabric C** strip to each short side for the Runner Center. The Runner Center should measure $10\frac{1}{2}$ " x $50\frac{1}{2}$ ".
2. Sew (1) $1\frac{3}{4}$ " x $50\frac{1}{2}$ " **Fabric D** strip to each long side of the Runner Center. Sew (1) $1\frac{3}{4}$ " x 13" **Fabric D** strip to each short side. The Runner Center should measure 13" x 53".
3. Sew (1) 3" x 53" **Fabric B** strip to each long side of the Runner Center. Sew (1) 3" x 18" **Fabric B** strip to each short side. The Table Runner top should measure 18" x 58".

FINISHING

1. Lay out the table runner top, right side up, on top of a 24" x 64" batting piece and the wrong side of the backing piece.
2. Baste the layers together and quilt as desired. Trim the backing and the batting even with the runner top.
3. Sew the (5) $2\frac{1}{4}$ " x WOF **Fabric C** strips together, end to end, with 45° seams to make a continuous strip. Fold strip in half lengthwise, wrong sides together, and press. Bind as desired.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.




Table Runner Layout