

Hayden Quilt

because fabric should be fun!

Quilt Size: 64" x 741/2"



Designed by: Cyndi Hershey



Finished Size: 64"x 741/2"

FABRIC REQUIREMENTS					
	26106 EH 1 YARD		26281 QZ 1 YARD		26303 Q 1½ YARDS
	1 BOLT	00.	1 BOLT		1 BOLT
**	26304 E ½ YARD		26304 B ² / ₃ YARD		26305 V binding only ² / ₃ YARD
2	1 BOLT		1 BOLT		1 BOLT
	26306 H ½ YARD		26306 V ³ / ₄ YARD		26303 Q backing only 4³⁄4 YARDS
West arear	1 BOLT	AFT AFT AFT	1 BOLT		4 BOLTS

* Numbers within gray box = Number of Bolts needed to make 12 Kits



We recommend that you carefully read through all 2. Cut strip sets crosswise into twenty 9½" strip blocks. instructions before getting started on your project.

CUTTING DIRECTIONS

Note: All strips are cut across the width of the fabric (perpendicular to the selvages) unless noted otherwise. All seams are 1/4".

Fabric A - Green Damask

• Cut twelve 21/2" strips. Sew seven strips together end to end with diagonal seams; press. From this pieced strip, cut two 2½" x 61" strips and two 21/2" x 72" strips. Remaining strips are used to create strip sets.

Fabric B - Aqua Dotted Circles

- Cut five 2½" strips.
- Cut five 31/2" strips. Sew strips together end to end with diagonal seams; press. From this pieced strip, cut three 3½" x 60½" strips.

Fabric C - Aqua Floral Paisley

• Cut eight 4½" strips. Sew strips together end to end with diagonal seams; press. From this pieced strip, cut two $4\frac{1}{2}$ " x 70" strips and two $4\frac{1}{2}$ " x 80" strips.

Fabric D - Cream Dragonflies

• Cut two 6½" strips; subcut eight 6½" x 9½" rectangles.

Fabric E - Blue Dragonflies

• Cut three 6½" strips; subcut twelve 6½" x 9½" rectangles.

Fabric F - Purple Chevron

• Cut eight 2½" strips for binding.

Fabric G - Green Scroll

• Cut five 21/2" strips.

Fabric H - Purple Scroll

- Cut ten 11/4" strips. Sew strips together end to end with diagonal seams; press. From this pieced strip, cut six 11/4" x 601/2" strips.
- Cut seven 1½" strips. Sew strips together end to end with diagonal seams; press. From this pieced strip, cut two 11/2" x 58" strips and two 1½" x 68" strips.

CONSTRUCTION

Strip Blocks:

1. In order, sew one 2½" strip each of Fabric A, G and **B**. Press seams toward **Fabric B**. Repeat to make five strip sets.




Make 20

Vertical Sashing:

Sew one 11/4" x 601/2" strip of **Fabric H** to each side of one $3\frac{1}{2}$ " x $60\frac{1}{2}$ " strip of **Fabric B**. Press toward the **B** strip. Repeat to make three sashing rows.

QUILT ASSEMBLY

- 1. Refer to quilt image to lay strip set blocks with $6\frac{1}{2}$ " x $9\frac{1}{2}$ " blocks of **Fabrics D** and **E**. Note that orientation of some strip set blocks reverses. Create four vertical rows.
- 2. Sew blocks into rows and press seams toward Fabric D and E blocks.
- **3.** Sew block rows alternately with sashing rows. Press toward the sashing rows.



Borders:

- **1.** Borders are cut with extra length to accommodate mitered borders.
- 2. Matching centers of strips, sew together one *Fabric H* 1½" x 68" strip, one *Fabric A* 2½" x 72" strip and one *Fabric C* 4½" x 80" strip. Press toward the *C* strip. Repeat to make second side border.
- **3.** With **Fabric H** strip facing quilt, match middle of border set to middle of one side of quilt. Beginning and ending a generous ¼" from edge of quilt, sew borders to quilt. Repeat for other side of quilt.
- **4.** Matching centers of strips, sew together one **Fabric H** $1\frac{1}{2}$ " x 58" strip, one **Fabric A** $2\frac{1}{2}$ " x 61" strip and one **Fabric C** $4\frac{1}{2}$ " x 70" strip. Press toward the **H** strip. Repeat to make second border.
- **5.** With *Fabric H* strip facing quilt, match middle of border set to middle of quilt top. Beginning and ending a generous ¼" from edge of quilt, sew borders to quilt. Repeat for bottom of quilt.
- **6.** Using your preferred method of mitering borders, miter each border corner. Note that because the seams of the top/bottom borders and the side borders were pressed in alternate directions. This should make it easier to match seams in preparation of sewing the mitered seams.

FINISHING THE QUILT

- 1. Prepare backing and press seams open.
- **2.** Layer backing, batting and quilt top. Baste and quilt as desired.
- 3. Trim layers even with quilt top.
- **4.** Prepare binding using **Fabric F** 2½" strips. Sew binding to guilt using your preferred method.

While all possible care has been taken to ensure the accuracy of this pattern, we are not responsible for printing errors or the way in which individual work varies.